

## PSC, Inc.



### PowerScan Industrial Scanner

You can rely on the PowerScan scanner for fast, accurate bar code reading, from up close to over 65" (165cm) away. Even labels previously thought to be unreadable can now be read using PSC's new superior decoding software, QuadraLogic. The scanner will auto-discriminate all standard bar code symbologies and automatically adjust to read a wide range of code densities.

Item#	Vendor#	Description	Retail	Dealer
PSC-PWRSCN30/Y	E0613001-011000-000	PowerScan Undecoded, Ylw/Blk Std. Range Scanner	1295	CALL
PSC-PWRSCN30/Y-HD	E0613050-011000-000	PowerScan Undecoded, Ylw/Blk High Density Scanner	1395	*
PSC-PWRSCN10/Y	E0611001-011001-000	PowerScan RS232/KBW/WE, Ylw/Blk Std. Range Scanner	1495	*
PSC-PWRSCN10/Y-HD	E0611050-011001-000	PowerScan RS232/KBW/WE, Ylw/Blk High Density Scanner	1595	*

Cable & Power Supply not included

### PowerScan Accessories

PSC-R441840	R44-1840	PowerScan Programming Guide	40	CALL
PSC-40040705	40040705	PowerScan, US Wall Mount, AC Power Adapter	40	*
PSC-40040710	40040710	PowerScan AC Power Supply, 110/120V, Desk Top w/ AC Line Cord	50	*
PSC-70404	70404	PowerScan Industrial Take Up Reel Kit	80	*
PSC-70430	70430	PowerScan Holster Kit	45	*
PSC-70429	70429	PowerScan Universal Mounting Kit	25	*

### PSC Unicables

PSC-8041901	8041901	8' Undecoded, 9pin Dsub Cable	70	CALL
PSC-8041902	8041902	12' Undecoded, 9pin Dsub Cable	70	*
PSC-8041903	8041903	8' Undecoded, DE9S Squeeze Cable	70	*
PSC-8041905	8041905	20' with 8' Undecoded, 9pin Dsub Cable	70	*
PSC-8042201	8042201	8' Wand Emulation, RJ6 Cable	30	*
PSC-8042301	8042301	8' RS232 25 Dsub, Ext. Pwr. Cable	70	*
PSC-8042302	8042302	12' RS232 25 Dsub, Ext. Pwr. Cable	140	*
PSC-8042303	8042303	12' RS232 9pin Dsub Cable	70	*
PSC-8042901	8042901	8' IBM Port 9B Cable	70	*
PSC-8042902	8042902	12' IBM Port 5B Cable	70	*
PSC-8042903	8042903	8' IBM Port 5B Cable	70	*
PSC-8042904	8042904	12' IBM Port 9B Cable	70	*

All Unicables can be used with the PowerScan, QS6000, and QS1000

PSC, Inc.



## QuickScan 6000 Scanner

Key to the QS6000 barcode scanner's performance is its reading engine, which utilizes proven technology to maintain a high overall first-pass read rate and to neutralize the negative effects of bright ambient light. Plus, PSC's advanced electronics perform solidly even when reading bar coded labels with low contrast or poor edge definition.

Item#	Vendor#	Description	Retail	Dealer
PSC-QS600013	6613120010020000	QuickScan 6000 RS232/WE Laser Scanner, Std. Gray, No Cable	719	CALL
PSC-QS600070	6670120010000000	QuickScan 6000 Undecoded Laser Scanner, Std. Gray, No Cable	645	*
PSC-QS6000429	6642120010030000	QuickScan 6000 IBM 46XX Port 9B/WE Laser Scanner, No Cable	719	*
PSC-QS600081	6681120010010000	QuickScan 6000 AT/PS2, KBW/WE Laser Scanner, No Cable	719	*
PSC-QS600090	6684120010000000	QuickScan 6000 Universal STI Wedge Laser Scanner, No Cable	819	*

## QuickScan 6000+ Ready Made Value Kits

PSC-QS600013KIT	661312001002020	QuickScan 6000 RS232/WE w/Cable & Power Supply	829	CALL
PSC-QS600014KIT	668112001001020	QuickScan 6000 KBW/WE, KBW Y Cable & Adapter	819	*
PSC-QS600014KTP	668112101001020	QuickScan 6000 KBW/WE, Includes Prog. Guide & Y Cable for PS2	829	*
PSC-QS600015KIT	667012001000010	QuickScan 6000 Undecoded, Auto Stand & Cable	814	*
PSC-QS600016KIT	661312001102020	QuickScan 6000 RS232/WE, Power Supply, Auto Stand & Cable	958	*
PSC-QS600017KIT	668112001001010	QuickScan 6000 KBW/WE, Auto Stand, KBW Cable & Adapter	888	*
PSC-QS600017KTP	668112001001020	QuickScan 6000 KBW/WE, Auto Stand, PS2 Cable	888	*



## QuickScan 5385 General Purpose Scanner

- \* Compact ergonomic design to ensure ease of use and operator comfort.
- \* Depth-of-field from contact to 9" (23cm) for a variety of scanning applications.
- \* Available in a wide variety of interfaces assuring compatibility with virtually any point-of-sale system.

PSC-QS538510	GP5385-101042	Undecoded QuickScan-GP/ No Cable	645	CALL
PSC-QS538510A	GP5385-104042	Undecoded QuickScan-GP w/AutoSense Activated/No Cable	695	*
PSC-QS538512	GP5385-123042	RS232 Decoded QuickScan-GP/ No Cable	719	*
PSC-QS538512A	GP5385-123842	RS232 Decoded QuickScan-GP w/AutoSense Activated/No Cable	769	*
PSC-QS538513	GP5385-133042	IBM 4683/84 QuickScan-GP/No Cable	719	*
PSC-QS538515	GP5385-153042	OCIA QuickScan-GP/No Cable	719	*
PSC-QS538517	GP5385-173042	Keyboard Wedge QuickScan-GP/ No Cable	719	*
PSC-QS538517A	GP5385-173842	Keyboard Wedge QuickScan-GP w/AutoSense Activated/No Cable	769	*
PSC-QS538519	GP5385-193042	Serial TTL QuickScan-GP/No Cable	719	*

# 800-653-4252

# Escan

**PSC, Inc.**

## QuickScan 5385 High Performance Scanner

Item#	Vendor#	Description	Retail	Dealer
PSC-5385	HP5385-101042	Undecoded QuickScan-HP/ No Cable	999	CALL
PSC-538512	HP5385-123042	RS232 Decoded QuickScan-HP/ No Cable	1199	*
PSC-538517	HP5385-173042	Keyboard Wedge Decoded QuickScan-HP/ No Cable	1199	*

## QuickScan 5385 Extended Performance Scanner

PSC-EP538510	EP5385-101042	Undecoded QuickScan-EP/ No Cable	1299	CALL
PSC-EP538512	EP5385-123042	RS232 Decoded QuickScan-EP/ No Cable	1499	*
PSC-EP538517	EP5385-173042	Keyboard Wedge Decoded QuickScan-EP/ No Cable	1499	*

## QuickScan 6000 Series Accessories

PSC-5071601	5071601	8' RS232 25 Dsub, Ext. Pwr. Cable	70	CALL
PSC-5071602	5071602	12' RS232 25 Dsub, Ext. Pwr. Cable	100	*
PSC-5071603	5071603	12' RS232 9pin Dsub Cable	70	*
PSC-5071604	5071604	8' RS232 9pin Dsub Cable	70	*
PSC-5071801	5071801	8' IBM Port 9B Cable	70	*
PSC-5071802	5071802	12' IBM Port 5B Cable	100	*
PSC-5071803	5071803	8' IBM Port 5B Cable	70	*
PSC-5071804	5071804	12' IBM Port 9B Cable	100	*
PSC-5072801	5072801	8' IBM AT/PS2, KBW Cable	70	*
PSC-5072802	5072802	8' PC Keyboard Wedge -Y, 5 Pin DIN for AT/XT	70	*
PSC-5072803	5072803	8' PC Keyboard Wedge -Y, 6 Pin Mini DIN for PS2	70	*
PSC-5073203	5073203	8' Wand Emulation RJ6 Cable	70	*
PSC-5073401	5073401	8' Undecoded, D9 Squeeze, No Pin 4	70	*
PSC-R441540	R441540	Programming Guide	40	*
PSC-UNIVPS	40040668	AC/DC Power Supply, 110 Volt	40	*
PSCQSSTAND	70204	QS6000 Stand	99	*

Cables, Programmers Guide and Power Supply sold separately.  
Specify when ordering.

## PSC, Inc.



### QuickScan 1000 Bar Code Reader

The QS1000 consistently delivers speed and flexibility, whether used at the point-of-sale checkout or for office, service or medical applications. And, it has an incredibly fast "speed-to-read" rate compared to other scanners in its class. When you're weighing price vs. performance, you don't need to look any further than the QS1000 scanner. The performance to price ratio is unparalleled, and the design is truly unique.

Item#	Vendor#	Description	Retail	Dealer
PSC-QS1010-01	E069100100101110	QuickScan 1000, RS232, Stand, DB25, Cable & Power Sply.	658	CALL
PSC-QS1010-01HV	E069100200101110	QuickScan 1000, High Vis., RS232, Stand, DB25, Cable & P.S.	683	*
PSC-QS1021-03	E069210100101010	QuickScan 1000, AT/PS2 KBW/WE, Stand & PS2 Cable	618	*
PSC-QS1021-03HV	E069210200101010	QuickScan 1000, High Vis., KBW/WE, AT/PS2, Stand & PS2 Cable	643	*
PSC-QS1021-04	E069210100101010	QuickScan 1000, KBW/WE, Stand, KBW Y Cable & Adapter	618	*
PSC-QS1021-04HV	E069210200101010	QuickScan 1000, High Vis., KBW/WE, Stand, Y Cable & Adapter	643	*
PSC-QS1040-01	E069400100101010	QuickScan 1000, IBM 46XX/RS232 Port 9B & Cable	618	*
PSC-QS1040-01HV	E069400200101010	QuickScan 1000, High Vis., IBM 46XX/RS232 Port 9B & Cable	643	*
PSC-QS1050-02	E069500100101010	QuickScan 1000 Undecoded, w/ 12' Undecoded DB9 Cable & Stand	564	*
PSC-UNIVPS	E40040668	AC Adapter	40	*



### 5300 Series Bar Code Scanners

- \* High Performance Scanner
- \* New standard for reliability and durability - 5 ft (1.5 m) drop onto concrete
- \* Hands-free or hand-held in one scanner - AUTOSENSE® feature and AutoStand option
- \* Small profile and light weight - 7.5 ounces
- \* Shock absorbing rubber scanner boot available for greater protection

### 5300 Series Undecoded Scanners

PSC-5310HP	5310HP-1042	High Perf. Undecoded Scanner/ 0-40" Depth of Field	1095	CALL
PSC-5310A	5310HP-4042	High Perf. Undecoded Scanner/ 0-40" Depth of Field w/ AutoSense	1145	*
PSC-5300-70HP	5300HP701042	High Perf. Undecoded Extra Long Range Scanner/ 2.4-16' Depth of Field	1595	*

### 5300 Series Industrial Performance Undecoded Scanners

PSC-5310IP	5310IP-1043	Industrial Perf. Undecoded Scanner/ 0-40" Depth of Field	1195	CALL
PSC-5310IPA	5310IP-4043	Industrial Perf. Undecoded Scanner/ 0-40" Depth of Field w/ AutoSense	1245	*
PSC-5320IP	5320IP-1043	Industrial Perf. Undecoded VIN Tag Scanner/ 3-7" Depth of Field	1245	*
PSC-5300-50IP	5300IP501043	Industrial Perf. Undecoded Long Range Scanner/ 4-96" Depth of Field	1495	*
PSC-5300-70IP	5300IP701043	Industrial Perf. Undecoded Extra Long Range Scanner/ 2.4-16' Depth of Field	1695	*
PSC-5390IP	5300IP901043	AutoRange Undecoded Scanner	1745	*

**PSC, Inc.**

## Cables for Undecoded Scanners

Item#	Vendor#	Description	Retail	Dealer
PSC-T106206	CTPT106206	6' Straight Cable to Compsee, LXE, Symbol, UBI, Welch Allyn 12 Volt	30	CALL
PSC-106206	CTP106206	6' Coil Cable to Compsee, LXE, Symbol, UBI, Welch Allyn 12 Volt	70	*
PSC-106215	CTP106215	15' Coil Cable to Compsee, LXE, Symbol, UBI, Welch Allyn 12 Volt	140	*
PSC-0106220	CTP0106220	20' Straight Cable to Compsee, LXE, Symbol, UBI, Welch Allyn 12 Volt	160	*
PSC-155606	CTP155606	6' Coil Cable to Percon Decoder	70	*
PSC-0106306	CTP0106306	6' Coil Cable to Welch Allyn 5 Volt	70	*
PSC-0100406	CTP0100406	6' Coil Cable to Caere 1000/1021	70	*
PSC-0100408	CTP0100408	8' Coil Cable to Caere 1000/1021	100	*
PSC-0101406	CTP0101406	6' Coil Cable to Intermec 940/9460	70	*
PSC-0101408	CTP0101408	8' Coil Cable to Intermec 940/9460	100	*
PSC-0100206	CTP0100206	6' Coil Cable to Intermec 9420/9510/9512/9550	70	*
PSC-0100208	CTP0100208	8' Coil Cable to Intermec 9420/9510/9512/9550	100	*
PSC-0158106	CTP0158106	6' Coil Cable to ITS/Unitech	70	*
PSC-0157606	CTP0157606	6' Coil Cable to Interneec 97XX	70	*
PSC-0156406	CTP0156406	6' Coil Cable to Telxon 710/860	70	*
PSC-0107706	CTP0107706	6' Coil Cable to Aedex	70	*
PSC-0107708	CTP0107708	8' Coil Cable to Aedex	100	*
PSC-0102406	CTP0102406	6' Coil Cable to Teklogix 7015/8030, 7020/8025 12 Volt	70	*
PSC-0187806	CTP0187806	6' Coil Cable to Cherry 6 Pin Din Connector	70	*

## 5300 Series High Performance RS232 Decoded Scanners

PSC-5312HP	5312HP-3042	High Perf. RS232 Scanner/ 0-40" Depth of Field	1295	CALL
------------	-------------	--	------	------

## 5300 Series Industrial Performance RS232 Decoded Scanners

PSC-5312IP	5312IP-3043	Industrial Perf. RS232 Scanner/ 0-40" Depth of Field	1395	CALL
PSC-5322IP	5322IP-3043	Industrial Perf. RS232 VIN Tag Scanner/ 3-7" Depth of Filed	1445	*
PSC-5300-52IP	5300IP523043	Industrial Perf. RS232 Long Range Scanner/ 4-96" Depth of Field	1695	*
PSC-5300-72IP	5300IP723043	Industrial Perf. RS232 Extra Long Range Scanner/ 2.4-16' Depth of Field	1895	*
PSC-5392IP	5300IP923043	AutoRange RS232 Decoded Scanner	1945	*

# 800-653-4252

# Escan

**PSC, Inc.**

## Cables for RS232 Decoded Scanners

Item#	Vendor#	Description	Retail	Dealer
PSC-T25FCC06	CTP25FCCT6	6' Straight Cable to RS232 DCE Female	30	CALL
PSC-25FCC06	CTP25FCC06	6' Coil Cable to RS232 DCE Female	70	*
PSC-25FCC08	CTP25FCC08	8' Coil Cable to RS232 DCE Female	100	*
PSC-25FCC15	CTP25FCC15	15' Coil Cable to RS232 DCE Female	140	*
PSC-T25MCCT6	CTP25MCCT6	6' Straight Cable to RS232 DCE Male	30	*
PSC-25MCC06	CTP25MCC06	6' Coil Cable to RS232 DCE Male	70	*
PSC-25MCT06	CTP25MCT06	6' Coil Cable to RS232 DTE Male	70	*
PSC-1564606	CTP1564606	6' Coil Cable to Welch Allyn 1100/Norand 3210/Percon	70	*
PSC-1564615	CTP1564615	15' Coil Cable to Welch Allyn 1100/Norand 3210/Percon	140	*
PSC-1574506	CTP1574506	6' Coil Cable to Intermec 97XX	70	*
PSC-1568406	CTP1568406	6' Coil Cable to Intermec 9440/9510	70	*
PSC-1565408	CTP1565408	8' Coil Cable to IBM 7494/7525	100	*
PSC-1565315	CTP1565315	15' Coil Cable to Datanet 200/250/900	140	*

## 5300 Series High Performance Keyboard Wedge Scanners

PSC-5317HP	5317HP-3042	High Perf. Wedge Scanner/ 0-40" Depth of Field	1295	CALL
PSC-5317HPA	5317HP-3842	High Perf. Wedge Scanner/ 0-40" Depth of Field, w/AutoSense	1345	*

## 5300 Series Industrial Performance Keyboard Wedge Scanners

PSC-5317IP	5317IP-3043	Industrial Perf. Wedge Scanner/ 0-40" Depth of Field	1395	CALL
PSC-5317IPA	5317IP-3843	Industrial Perf. Wedge Scanner/ 0-40" Depth of Field, w/AutoSense	1445	*
PSC-5397IP	5300IP-973043	AutoRange Keyboard Decoded Scanner	1945	*

**PSC, Inc.**

## Cables for Keyboard Wedge Scanners

Item#	Vendor#	Description	Retail	Dealer
PSC-1362406	CTP1362406	6' Coil Cable to IBM PC XT/AT	110	CALL
PSC-1362408	CTP1362408	8' Coil Cable to IBM PC XT/AT	110	*
PSC-1362415	CTP1362415	15' Coil Cable to IBM PC XT/AT	150	*
PSC-1362506	CTP1362506	6' Coil Cable to IBM PS/2 30/50-80, Compaq	110	*
PSC-1362508	CTP1362508	8' Coil Cable to IBM PS/2 30/50-80, Compaq	110	*
PSC-1362515	CTP1362515	15' Coil Cable to IBM PS/2 30/50-80, Compaq	150	*
PSC-1362806	CTP1362806	6' Coil Cable to IBM 3151, CTP1394006	110	*
PSC-1393306	CTP1393306	6' Coil Cable to IBM Laptop	110	*
PSC-FCC06	CTP232FCC06	6' Coil Cable to RS232 DCE Female	110	*
PSC-1564606	CTP1564606	6' Coil Cable to Welch Allyn 1100/Norand 3210/Percon	70	*
PSC-1564615	CTP1564615	15' Coil Cable to Welch Allyn 1100/Norand 3210/Percon	140	*
PSC-1574506	CTP1574506	6' Coil Cable to Intermec 97XX	70	*
PSC-1568406	CTP1568406	6' Coil Cable to Intermec 9440/9510	70	*
PSC-1565408	CTP1565408	8' Coil Cable to IBM 7494/7525	100	*
PSC-1565315	CTP1565315	15' Coil Cable to Datanet 200/250/900	140	*

## 5300 Series Scanner Accessories

PSC-53AUTOLCLG	53AUTOLCLG	Non-Adjustable AutoSense Stand	35	CALL
PSC-53AUTOA	53AUTOA	Adjustable AutoSense Stand	120	*
PSC-53BTBG	53BTBG	5300 Series Beige Scanner Boot	40	*
PSC-53BTBK	53BTBK	5300 Series Black Scanner Boot	40	*
PSC-53BTDG	53BTDG	5300 Series Dark Gray Scanner Boot	40	*
PSC-53BTLG	53BTLG	5300 Series Light Gray Scanner Boot	40	*
PSC-PS	PS	110 Volt Power Supply, 5300 Series, 5 Volt Output	70	*
PSC-53SSTAND	53SLG	5300 Series Scanner Stand, Exclude IP Series	20	*
PSC-53SIP	53SIP	5300IP Series Scanner Stand	20	*
PSC-BELT	53BH	5300 Series Belt	25	*
PSC-53BATPAK	53BATPAK	5300 Series Battery Pack	80	*
PSC-53SH	53SH	Suspended Holster for HP Series	40	*
PSC-53SHIP	53SHIP	Suspended Holster for IP Series	55	*
PSC-53R	535P	Take Up Reel	70	*

**PSC, Inc.**



## [Duet Dual Action Scanner](#)

With the Duet scanner, retailers can now scan anything at the point-of-sale: small items, large bulky items, even items that aren't individually barcoded. Now retailers can enjoy speedier checkouts and increased accuracy of "scanned" data. Most items are simply presented to or swept by the scanner. Duet's unique Targeted Handheld capability eliminates the need to manually key items without barcodes, such as unpackaged or specialty products.

Item#	Vendor#	Description	Retail	Dealer
PSC-DUETIBM	DUETIBM	Duet, IBM w/Power Supply & Port 9B Cable	1395	CALL
PSC-DUETIBM17	DUETIBM17	Duet, IBM w/Power Supply & Port 17 Cable	1395	*
PSC-DUETOC	DUETOC	Duet, OCIA w/Power Supply & Circular E/P Cable	1395	*
PSC-DUESTRS9	DUESTRS9	Duet, RS232 w/Power Supply & DE9 E/P Cable	1395	*
PSC-DUETRS	DUETRS	Duet, RS232 w/Power Supply & DB25 E/P Cable	1395	*
PCS-DUETWAND	DUETWAND	Duet, Wand Emulation w/Power Supply & DE9S Cable	1395	*
PSC-DUETWEDGE	DUETWEDGE	Duet, Keyboard Wedge w/Power Supply & PC Cable	1395	*

## [Duet Accessories](#)

PSC-DUETMOD/RS	101799	Duet Interface Module, RS232	70	CALL
PSC-DUETMOD/OC	101800	Duet Interface Module, OCIA	70	*
PSC-DUETMOD/KBW	101801	Duet Interface Module, Std. KBW	70	*
PSC-DUETMOD/IBM	101802	Duet Interface Module, IBM 46XX	70	*
PSC-DUETMOD/WE	101803	Duet Interface Module, Wand Emulation	70	*
PSC-R441740	R44-1740	Duet, Programmers Guide	40	*

[Return to Homepage](#)  
[Return to Scanners](#)  
[Return to Product Catalog](#)